

# **FONTAINE FIFTH WHEEL PRODUCT CATALOGUE**



**FONTAINEFIFTHWHEEL.COM**

**FIT FOR  
SAFETY  
RELIABILITY  
VERSATILITY  
EFFICIENCY  
ECONOMY  
THE LONG HAUL**

***SPECIALISTS  
IN TRUCK  
AND TRAILER  
COUPLING***

We offer a broad range of tailored options to meet your exacting needs – all to keep your fleet on the road and off the repair list.

*Our Range*

- 04 Product overview
- 06 Product comparison

*Fifth Wheels & Mounting*

- 08 150SP<sup>2</sup>
- 14 3000
- 20 3000LM
- 26 170CI
- 32 260HD
- 34 3000FFH
- 37 3S Sensor Safety System

*Mounting Options*

- 38 150SF
- 40 170SF
- 41 Mounting Plates

*Spare Parts*

- 42 Fifth Wheels
- 43 3S Sensor Safety System
- 44 260HD
- 46 Mounting Bracket Kits
- 48 All Sliding Fifth Wheels
- 49 Bolt Kits

*Ramps & Landing Legs*

- 49 Ramps
- 50 Landing Legs



## PRODUCT OVERVIEW

### FIFTH WHEEL OPTIONS

**150SP<sup>2</sup>**  
STANDARD DUTY 2" ON-ROAD  
PRESSED



**3000**  
MEDIUM DUTY 2" ON-ROAD  
& LIMITED OFF-ROAD  
CAST



**3000LM** LOW MAINTENANCE  
MEDIUM DUTY 2"  
ON-ROAD & LIMITED OFF-ROAD  
CAST



**3000FFH** DUAL HEIGHT  
STANDARD DUTY 2"  
ON-ROAD  
CAST



**170CI**  
HEAVY DUTY 2"  
ON-ROAD & OFF-ROAD  
CAST



**260HD**  
HEAVY DUTY 3.5"  
ON-ROAD & OFF-ROAD  
CAST



### PERFORMANCE OPTIONS

#### MOUNTING

Sliding  
150SF  
& 170SF



Mounting  
plate



Direct  
mount




#### HANDLES


— Standard  
— Interlock  
— Extended



#### SAFETY SENSORS



#### LUBRICATION & AIR



## PRODUCT COMPARISON

| FIFTH WHEEL RANGE          | MATERIAL | USAGE                                               | APPLICATION                                                                                                                                                                                                 | IMPOSED (U) & D-VALUE T / kN | WEIGHT KG  | HEIGHT OPTIONS MM (DIN 6)                  | LOW MAINTENANCE | SINGLE-POINT AUTOLUBE | AIR ACTIVATION | SINGLE SENSOR SAFETY CLIP | SENSOR SYSTEMS | HANDLE OPTIONS                                                                                                                          |
|----------------------------|----------|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------|--------------------------------------------|-----------------|-----------------------|----------------|---------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>150SP<sup>2</sup></b>   | Pressed  | <b>Standard duty</b><br>2" on-road                  | <br><b>Fit for...</b><br>Flexible haulage volume carriers using two and three-axle tractors.                               | 20T / 152kN                  | From 113kg | 138 / 148<br>161 / 185<br>210 / 230<br>257 | ✗               | ✓                     | ✓              | ✓                         | ✓              | <ul style="list-style-type: none"> <li>• Standard with safety clip</li> <li>• Extended with safety clip</li> <li>• Interlock</li> </ul> |
| <b>3000</b>                | Cast     | <b>Medium duty</b><br>2" on-road & limited off-road | <br><b>Fit for...</b><br>Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors. | 20T / 150kN                  | From 120kg | 138 / 148<br>161 / 185<br>210 / 230<br>257 | ✗               | ✓                     | ✓              | ✓                         | ✓              | <ul style="list-style-type: none"> <li>• Standard with safety clip</li> <li>• Extended with safety clip</li> <li>• Interlock</li> </ul> |
| <b>3000LM</b>              | Cast     | <b>Medium duty</b><br>2" on-road & limited off-road | <br><b>Fit for...</b><br>Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors. | 20T / 152kN                  | From 120kg | 138 / 148<br>161 / 185<br>210 / 230<br>257 | ✓               | ✓                     | ✓              | ✓                         | ✓              | <ul style="list-style-type: none"> <li>• Standard with safety clip</li> <li>• Extended with safety clip</li> <li>• Interlock</li> </ul> |
| <b>3000FFH DUAL HEIGHT</b> | Cast     | <b>Standard duty</b><br>2" on-road                  | <br><b>Fit for...</b><br>Flexible haulage volume carriers using two and three-axle tractors.                               | 18T / 130kN                  | 335kg      | 167 / 267<br>317 / 367                     | ✓               | ✓                     | ✓              | ✓                         | ✓              | <ul style="list-style-type: none"> <li>• Standard with safety clip</li> <li>• Extended with safety clip</li> <li>• Interlock</li> </ul> |
| <b>170CI</b>               | Cast     | <b>Heavy duty</b><br>2" on & off-road               | <br><b>Fit for...</b><br>HGV traffic and off-road terrain.                                                                 | 25T / 170kN                  | From 140kg | 148 / 161<br>185 / 210<br>230 / 257        | ✗               | ✓                     | ✓              | ✓                         | ✓              | <ul style="list-style-type: none"> <li>• Standard with safety clip</li> <li>• Extended with safety clip</li> <li>• Interlock</li> </ul> |
| <b>260HD</b>               | Cast     | <b>Heavy duty</b><br>3.5" on & off-road             | <br><b>Fit for...</b><br>HGV traffic and off-road terrain.                                                                 | 36T / 260kN                  | From 216kg | 190                                        | ✗               | ✓                     | ✗              | ✗                         | ✗              | <ul style="list-style-type: none"> <li>• Standard with safety clip</li> </ul>                                                           |

| MOUNTING OPTIONS            | USAGE                                               | APPLICATION                                                                                                                                                                                                   | IMPOSED (U) & D-VALUE T / kN | WEIGHT KG   | HEIGHT MM                        | AIR / MANUAL | SLIDE TRAVEL                                         | 150SP <sup>2</sup> | 3000 | 3000LM | 3000FFH | 170CI | 170HD | 260HD |
|-----------------------------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------------|----------------------------------|--------------|------------------------------------------------------|--------------------|------|--------|---------|-------|-------|-------|
| <b>SLIDING 150SF</b>        | <b>Medium duty</b><br>2" on-road & limited off-road | <br><b>Fit for...</b><br>Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors. | 20T / 152kN                  | 119kg       | 35mm                             | Air / Manual | Slide travel 525/750/900mm<br>Two-position 300/525mm | ✓                  | ✓    | ✓      | ✗       | ✓     | ✓     | ✓     |
| <b>SLIDING 170SF</b>        | <b>Heavy duty</b><br>2" on & off-road               | <br><b>Fit for...</b><br>HGV traffic and off-road terrain.                                                                 | 25T / 170kN                  | 241kg       | 40mm                             | Air / Manual | 450mm                                                | ✓                  | ✓    | ✓      | ✗       | ✓     | ✓     | ✓     |
| <b>MOUNTING PLATE</b>       | <b>Medium duty</b><br>2" on-road & limited off-road | <br><b>Fit for...</b><br>Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors. | 20T / 150kN                  | 45kg / 50kg | 22mm<br>40mm                     | —            | —                                                    | ✓                  | ✓    | ✓      | ✗       | ✓     | ✓     | ✓     |
| <b>MOUNTING PLATE 260MP</b> | <b>Heavy duty</b><br>2" / 3" on & off-road          | <br><b>Fit for...</b><br>HGV traffic and off-road terrain.                                                                 | 36T / 260kN                  | 89kg        | 16mm                             | Air / Manual | 450mm                                                | ✓                  | ✓    | ✓      | ✗       | ✓     | ✓     | ✓     |
| <b>DIRECT MOUNT</b>         | <b>Standard duty</b><br>2" on-road                  | <br><b>Fit for...</b><br>Flexible haulage volume carriers using two and three-axle tractors.                               | 20T / 150kN                  | 40kg        | 140mm<br>160mm<br>200mm<br>230mm | —            | —                                                    | ✓                  | ✓    | ✓      | ✗       | ✓     | ✗     | ✗     |

FIFTH WHEEL OPTIONS

150SP<sup>2</sup>  
STANDARD DUTY  
2" ON-ROAD

PRESSED

IMPOSED 20T  
D-VALUE 152KN



STANDARD HANDLE



| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 95kg         | E11 55R-01 7166            | 881000          |
| 138mm                                       | 115kg        | E11 55R-01 7166            | 881138          |
| 148mm                                       | 113kg        | E11 55R-01 7166            | 881148          |
| 161mm                                       | 115kg        | E11 55R-01 7166            | 881161          |
| 185mm                                       | 117kg        | E11 55R-01 7166            | 881185          |
| 210mm                                       | 122kg        | E11 55R-01 7166            | 881210          |
| 230mm                                       | 130kg        | E11 55R-01 7166            | 881230          |
| 257mm                                       | 133kg        | E11 55R-01 7166            | 881257          |

STANDARD HANDLE



**Reducing kingpin wear**  
The 150SP<sup>2</sup> does not require a wear ring

**Fit for...**  
Flexible haulage volume carriers  
using two and three-axle tractors



FIFTH WHEEL OPTIONS

150SP<sup>2</sup>  
STANDARD DUTY  
2" ON-ROAD

PRESSED

IMPOSED 20T  
D-VALUE 152KN



EXTENDED HANDLE


| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 97kg         | E11 55R-01 7166            | 885000          |
| 185mm                                       | 119kg        | E11 55R-01 7166            | 885185          |
| 210mm                                       | 124kg        | E11 55R-01 7166            | 885210          |
| 230mm                                       | 132kg        | E11 55R-01 7166            | 885230          |
| 257mm                                       | 135kg        | E11 55R-01 7166            | 885257          |

EXTENDED HANDLE




**Reducing kingpin wear**  
The 150SP<sup>2</sup> does not require a wear ring

**Fit for...**  
Flexible haulage volume carriers  
using two and three-axle tractors



NOTE:  
ARTICULATION 7 DEGREES  
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

150SP<sup>2</sup>  
STANDARD DUTY  
2" ON-ROAD

PRESSED

IMPOSED 20T  
D-VALUE 152KN



INTERLOCK HANDLE


| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 96kg         | E11 55R-01 7166            | 889000          |
| 138mm                                       | 116kg        | E11 55R-01 7166            | 889138          |
| 148mm                                       | 114kg        | E11 55R-01 7166            | 889148          |
| 161mm                                       | 116kg        | E11 55R-01 7166            | 889161          |
| 185mm                                       | 118kg        | E11 55R-01 7166            | 889185          |
| 210mm                                       | 123kg        | E11 55R-01 7166            | 889210          |
| 230mm                                       | 131kg        | E11 55R-01 7166            | 889230          |
| 257mm                                       | 134kg        | E11 55R-01 7166            | 889257          |

INTERLOCK HANDLE




**Reducing kingpin wear**  
The 150SP<sup>2</sup> does not require a wear ring

**Fit for...**  
Flexible haulage volume carriers  
using two and three-axle tractors



NOTE:  
ARTICULATION 7 DEGREES  
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

3000  
MEDIUM DUTY  
2" ON-ROAD &  
LIMITED OFF-ROAD

CAST

IMPOSED 20T  
D-VALUE 150KN






STANDARD HANDLE

| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 102kg        | E11 55R-01 4901            | 841000          |
| 138mm                                       | 122kg        | E11 55R-01 4932            | 841138          |
| 148mm                                       | 120kg        | E11 55R-01 4902            | 841148          |
| 161mm                                       | 122kg        | E11 55R-01 4903            | 841161          |
| 185mm                                       | 124kg        | E11 55R-01 4904            | 841185          |
| 210mm                                       | 129kg        | E11 55R-01 4905            | 841210          |
| 230mm                                       | 137kg        | E11 55R-01 4906            | 841230          |
| 257mm                                       | 140kg        | E11 55R-01 4907            | 841257          |

STANDARD HANDLE



**Fit for...** Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



FIFTH WHEEL OPTIONS

3000  
MEDIUM DUTY  
2" ON-ROAD &  
LIMITED OFF-ROAD

CAST

IMPOSED 20T  
D-VALUE 150KN





EXTENDED HANDLE

| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 104kg        | E11 55R-01 4901            | 845000          |
| 185mm                                       | 126kg        | E11 55R-01 4904            | 845185          |
| 210mm                                       | 131kg        | E11 55R-01 4905            | 845210          |
| 230mm                                       | 139kg        | E11 55R-01 4906            | 845230          |
| 257mm                                       | 142kg        | E11 55R-01 4907            | 845257          |



**Fit for...** Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



FIFTH WHEEL OPTIONS

3000  
MEDIUM DUTY  
2" ON-ROAD &  
LIMITED OFF-ROAD

CAST

IMPOSED 20T  
D-VALUE 150KN




INTERLOCK HANDLE

| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 103kg        | E11 55R-01 4901            | 849000          |
| 138mm                                       | 123kg        | E11 55R-01 4932            | 849138          |
| 148mm                                       | 121kg        | E11 55R-01 4902            | 849148          |
| 161mm                                       | 123kg        | E11 55R-01 4903            | 849161          |
| 185mm                                       | 125kg        | E11 55R-01 4904            | 849185          |
| 210mm                                       | 130kg        | E11 55R-01 4905            | 849210          |
| 230mm                                       | 138kg        | E11 55R-01 4906            | 849230          |
| 257mm                                       | 141kg        | E11 55R-01 4907            | 849257          |

INTERLOCK HANDLE



**Fit for...** Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



FIFTH WHEEL OPTIONS

3000LM LOW MAINTENANCE  
MEDIUM DUTY  
2" ON-ROAD &  
LIMITED OFF-ROAD

CAST

IMPOSED 20T  
D-VALUE 152KN




STANDARD HANDLE

| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 102kg        | E11 55R-01 5557            | 901000          |
| 138mm                                       | 122kg        | E11 55R-01 5557            | 901138          |
| 148mm                                       | 120kg        | E11 55R-01 5557            | 901148          |
| 161mm                                       | 122kg        | E11 55R-01 5557            | 901161          |
| 185mm                                       | 124kg        | E11 55R-01 5557            | 901185          |
| 210mm                                       | 129kg        | E11 55R-01 5557            | 901210          |
| 230mm                                       | 137kg        | E11 55R-01 5557            | 901230          |
| 257mm                                       | 140kg        | E11 55R-01 5557            | 901257          |
| Single Point King Pin Lubrication Kit 125ml |              |                            | 59016109        |


STANDARD HANDLE



**Fit for...** Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



NOTE:  
ARTICULATION 7 DEGREES  
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

3000LM LOW MAINTENANCE  
MEDIUM DUTY  
2" ON-ROAD &  
LIMITED OFF-ROAD

CAST

IMPOSED 20T  
D-VALUE 152KN




EXTENDED HANDLE

| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 104kg        | E11 55R-01 5557            | 905000          |
| 185mm                                       | 126kg        | E11 55R-01 5557            | 905185          |
| 210mm                                       | 131kg        | E11 55R-01 5557            | 905210          |
| 230mm                                       | 139kg        | E11 55R-01 5557            | 905230          |
| 257mm                                       | 142kg        | E11 55R-01 5557            | 905257          |
| Single Point King Pin Lubrication Kit 125ml |              |                            | 59016109        |


EXTENDED HANDLE



**Fit for...** Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



NOTE:  
ARTICULATION 7 DEGREES  
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

3000LM LOW MAINTENANCE  
MEDIUM DUTY  
2" ON-ROAD &  
LIMITED OFF-ROAD

CAST

IMPOSED 20T  
D-VALUE 152KN





INTERLOCK HANDLE

| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 103kg        | E11 55R-01 5557            | 909000          |
| 138mm                                       | 123kg        | E11 55R-01 5557            | 909138          |
| 148mm                                       | 121kg        | E11 55R-01 5557            | 909148          |
| 161mm                                       | 123kg        | E11 55R-01 5557            | 909161          |
| 185mm                                       | 125kg        | E11 55R-01 5557            | 909185          |
| 210mm                                       | 130kg        | E11 55R-01 5557            | 909210          |
| 230mm                                       | 138kg        | E11 55R-01 5557            | 909230          |
| 257mm                                       | 141kg        | E11 55R-01 5557            | 909257          |
| Single Point King Pin Lubrication Kit 125ml |              |                            | 59016109        |

INTERLOCK HANDLE



**Fit for...** Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



FIFTH WHEEL OPTIONS

170CI  
HEAVY DUTY  
2" ON-ROAD  
& OFF-ROAD

CAST

IMPOSED 25T  
D-VALUE 170KN




STANDARD HANDLE

| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 120kg        | E32 55R02/00 0104 00       | 931000          |
| 148mm                                       | 140kg        | E32 55R02/00 0104 00       | 931148          |
| 161mm                                       | 142kg        | E32 55R02/00 0104 00       | 931161          |
| 185mm                                       | 144kg        | E32 55R02/00 0104 00       | 931185          |
| 210mm                                       | 149kg        | E32 55R02/00 0104 00       | 931210          |
| 230mm                                       | 157kg        | E32 55R02/00 0104 00       | 931230          |
| 257mm                                       | 160kg        | E32 55R02/00 0104 00       | 931257          |

STANDARD HANDLE



Fit for...  
HGV traffic and off-road terrain



FIFTH WHEEL OPTIONS

170CI  
HEAVY DUTY  
2" ON-ROAD  
& OFF-ROAD

CAST

IMPOSED 25T  
D-VALUE 170KN





EXTENDED HANDLE

| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 142kg        | E32 55R02/00 0104 00       | 935000          |
| 185mm                                       | 146kg        | E32 55R02/00 0104 00       | 935185          |
| 210mm                                       | 151kg        | E32 55R02/00 0104 00       | 935210          |
| 230mm                                       | 159kg        | E32 55R02/00 0104 00       | 935230          |
| 257mm                                       | 162kg        | E32 55R02/00 0104 00       | 935257          |

EXTENDED HANDLE



Fit for...  
HGV traffic and off-road terrain



FIFTH WHEEL OPTIONS

170CI  
HEAVY DUTY  
2" ON-ROAD  
& OFF-ROAD

CAST

IMPOSED 25T  
D-VALUE 170KN





INTERLOCK HANDLE

| HEIGHT<br>MM (DIN 6)                        | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
|---------------------------------------------|--------------|----------------------------|-----------------|
| Pin & bushes only –<br>no mounting brackets | 141kg        | E32 55R02/00 0104 00       | 939000          |
| 148mm                                       | 141kg        | E32 55R02/00 0104 00       | 939148          |
| 161mm                                       | 143kg        | E32 55R02/00 0104 00       | 939161          |
| 185mm                                       | 145kg        | E32 55R02/00 0104 00       | 939185          |
| 210mm                                       | 150kg        | E32 55R02/00 0104 00       | 939210          |
| 230mm                                       | 158kg        | E32 55R02/00 0104 00       | 939230          |
| 257mm                                       | 161kg        | E32 55R02/00 0104 00       | 939257          |

INTERLOCK HANDLE



Fit for...  
HGV traffic and off-road terrain



FIFTH WHEEL OPTIONS



260HD  
HEAVY DUTY  
3.5" ON-ROAD  
& OFF-ROAD

CAST


IMPOSED 36T  
D-VALUE 260KN



| STANDARD HANDLE      |              |                            |                 |
|----------------------|--------------|----------------------------|-----------------|
| HEIGHT<br>MM (DIN 6) | WEIGHT<br>KG | E11 55R-01<br>APPROVAL NO. | PRODUCT<br>CODE |
| 190mm                | 216kg        | Pending                    | 911190          |



**Fit for...**  
HGV traffic and off-road terrain




FIFTH WHEEL OPTIONS

3000FFH DUAL HEIGHT  
STANDARD DUTY  
2" ON-ROAD


CAST

IMPOSED 18T  
D-VALUE 130KN



3000FFH DUAL HEIGHT

| E11 55R-01<br>APPROVAL NO. | MODEL | HEIGHT<br>MM | LENGTH<br>MM | X1/X2<br>MM | IMPOS-<br>ED(U) T | DV<br>KN |
|----------------------------|-------|--------------|--------------|-------------|-------------------|----------|
| E32 55R01/07 0047 00       | FFH   | 167mm        | —            | 261/835     | 18T               | 130kN    |
| E32 55R01/07 0047 00       | FFH1  | 267mm        | 13mm         | 274/823     | 18T               | 130kN    |
| E32 55R01/07 0047 00       | FFH2  | 317mm        | 24mm         | 285/812     | 18T               | 130kN    |
| E32 55R01/07 0047 00       | FFH3  | 367mm        | 38mm         | 299/797     | 18T               | 130kN    |



Fit for...  
Flexible haulage volume  
carriers using two and  
three-axle tractors



3000FFH DUAL HEIGHT – MANUAL OPERATION

| VOLVO            |          |
|------------------|----------|
| 3000FFH – MANUAL | CODE     |
| 930mm 167–367mm  | 59016168 |
| 930mm 167–317mm  | 59016171 |
| 930mm 167–267mm  | 59016173 |

| SCANIA           |          |
|------------------|----------|
| 3000FFH – MANUAL | CODE     |
| 880mm 167–367mm  | 59016185 |
| 880mm 167–317mm  | 59016187 |
| 880mm 167–267mm  | 59016189 |

| DAF              |          |
|------------------|----------|
| 3000FFH – MANUAL | CODE     |
| 880mm 167–367mm  | 59016174 |
| 880mm 167–317mm  | 59016176 |
| 880mm 167–267mm  | 59016178 |

| MAN              |          |
|------------------|----------|
| 3000FFH – MANUAL | CODE     |
| 880mm 167–367mm  | 59016191 |
| 880mm 167–317mm  | 59016193 |
| 880mm 167–267mm  | 59016195 |

| DAIMLER          |          |
|------------------|----------|
| 3000FFH – MANUAL | CODE     |
| 950mm 167–367mm  | 59016149 |
| 950mm 167–317mm  | 59016181 |
| 950mm 167–267mm  | 59016183 |

| FIFTH WHEEL                       |          |
|-----------------------------------|----------|
| 3000FFH – MANUAL                  | CODE     |
| Top Plate Only<br>(pins & bushes) | 50272541 |

## FIFTH WHEEL OPTIONS

### 3000FFH DUAL HEIGHT STANDARD DUTY 2" ON-ROAD

CAST

IMPOSED 18T  
D-VALUE 130KN



#### 3000FFH DUAL HEIGHT – AIR OPERATION

##### VOLVO

| 3000FFH – AIR   | CODE     |
|-----------------|----------|
| 930mm 167–367mm | 59016167 |
| 930mm 167–317mm | 59016170 |
| 930mm 167–267mm | 59016172 |

##### SCANIA

| 3000FFH – AIR   | CODE     |
|-----------------|----------|
| 880mm 167–367mm | 59016184 |
| 880mm 167–317mm | 59016186 |
| 880mm 167–267mm | 59016188 |

##### DAF

| 3000FFH – AIR   | CODE     |
|-----------------|----------|
| 880mm 167–367mm | 59016148 |
| 880mm 167–317mm | 59016175 |
| 880mm 167–267mm | 59016177 |

##### MAN

| 3000FFH – AIR   | CODE     |
|-----------------|----------|
| 880mm 167–367mm | 59016190 |
| 880mm 167–317mm | 59016192 |
| 880mm 167–267mm | 59016194 |

##### DAIMLER

| 3000FFH – AIR   | CODE     |
|-----------------|----------|
| 950mm 167–367mm | 59016179 |
| 950mm 167–317mm | 59016180 |
| 950mm 167–267mm | 59016182 |

##### FIFTH WHEEL

| 3000FFH – AIR                     | CODE     |
|-----------------------------------|----------|
| Top Plate Only<br>(pins & bushes) | 50272491 |


### 3S SENSOR SAFETY SYSTEM

3000  
3000LM



#### 3000 – EXTENDED HANDLE OPTION ONLY

| HEIGHT MM (DIN 6)                          | DATE         | CODE     |
|--------------------------------------------|--------------|----------|
| 3 Sensor Green & Amber LED – Pins & Bushes | 2021 onwards | 8450000G |
| 3 Sensor Green & Amber LED – 230mm         | 2021 onwards | 8452300G |



## SLIDING 150SF

525MM TRAVEL  
MANUAL & AIR OPTIONS

| DAF                                   |              |
|---------------------------------------|--------------|
| 150SF SLIDER BASE                     | CODE         |
| Low handle (up to 185mm FW height)    | 310880025034 |
| Medium handle (210mm FW height)       | 310880025035 |
| High handle (230mm & above FW height) | 310880025036 |

| MAN                                   |              |
|---------------------------------------|--------------|
| 150SF SLIDER BASE                     | CODE         |
| Medium handle (210mm FW height)       | 310880101035 |
| High handle (230mm & above FW height) | 310880101036 |

| DAIMLER                                                     |              |
|-------------------------------------------------------------|--------------|
| 150SF SLIDER BASE                                           | CODE         |
| Low handle (up to 185mm FW height) 950mm centres            | 310950050034 |
| High handle (230mm & above FW height) 950mm centres         | 310950050037 |
| Low handle (up to 185mm FW height) 950mm centres – TAG Axle | 310950050084 |
| Medium handle (210mm FW height) 950mm centres – TAG Axle    | 310950050085 |

| IVECO                            |              |
|----------------------------------|--------------|
| 150SF SLIDER BASE                | CODE         |
| Medium handle (210mm & above FW) | 310860045035 |
| High handle (230mm & above FW)   | 310860045036 |

| SCANIA 4X2                            |              |
|---------------------------------------|--------------|
| 150SF SLIDER BASE                     | CODE         |
| Medium handle (210mm & above FW)      | 310880100035 |
| High handle (230mm & above FW height) | 310880100036 |

| SCANIA 6X2                            |              |
|---------------------------------------|--------------|
| 150SF SLIDER BASE                     | CODE         |
| Low handle (up to 185mm FW height)    | 310880100074 |
| Medium handle (210mm FW height)       | 310880100075 |
| High handle (230mm & above FW height) | 310880100076 |

| VOLVO / RENAULT 4MM L-PROFILE         |              |
|---------------------------------------|--------------|
| 150SF SLIDER BASE                     | CODE         |
| Low handle (up to 185mm FW height)    | 310930050034 |
| Medium handle (210mm FW height)       | 310930050035 |
| High handle (230mm & above FW height) | 310930050036 |


| VOLVO / RENAULT 50MM L-PROFILE     |              |
|------------------------------------|--------------|
| 150SF SLIDER BASE                  | CODE         |
| Low handle (up to 185mm FW height) | 310930050083 |
| Medium handle (210mm FW height)    | 310930050084 |

| OPTIONS                           |                                                            |
|-----------------------------------|------------------------------------------------------------|
| DESCRIPTION                       | CODE                                                       |
| Supplement for Air Operation      | Replace first two digits with 33                           |
| Supplement for 750mm Travel Rails | Replace first two digits with 32 for manual and 34 for air |

## MOUNTING OPTIONS

### SLIDING 170SF

450MM TRAVEL  
MANUAL OPTION



| DAF               |              |
|-------------------|--------------|
| 170SF SLIDER BASE | CODE         |
| 880mm centres     | 360880025035 |

| DAIMLER                   |              |
|---------------------------|--------------|
| 170SF SLIDER BASE         | CODE         |
| 950mm centres<br>TAG Axle | 360950050085 |


| IVECO             |              |
|-------------------|--------------|
| 170SF SLIDER BASE | CODE         |
| 860mm centres     | 360860045035 |

| MAN               |              |
|-------------------|--------------|
| 170SF SLIDER BASE | CODE         |
| 880mm centres     | 360880101035 |

| VOLVO/RENAULT     |              |
|-------------------|--------------|
| 170SF SLIDER BASE | CODE         |
| 930mm centres     | 360930050084 |

| SCANIA            |              |
|-------------------|--------------|
| 170SF SLIDER BASE | CODE         |
| 880mm centres     | 360880100075 |

| OPTIONS                         |                                        |
|---------------------------------|----------------------------------------|
| DESCRIPTION                     | CODE                                   |
| Supplement for<br>Air Operation | Replace first<br>two digits<br>with 37 |



### MOUNTING PLATES



| DAF            |                |
|----------------|----------------|
| MOUNTING PLATE | CODE           |
| 16mm           | 56016370       |
| 40mm           | 56088002544040 |

| FORD           |          |
|----------------|----------|
| MOUNTING PLATE | CODE     |
| 16mm           | 56016371 |

| DAIMLER                      |          |
|------------------------------|----------|
| MOUNTING PLATE               | CODE     |
| 16mm                         | 56016567 |
| 40mm (950mm<br>hole centres) | 59015695 |

| IVECO          |          |
|----------------|----------|
| MOUNTING PLATE | CODE     |
| 16mm           | 56016568 |

| MAN            |          |
|----------------|----------|
| MOUNTING PLATE | CODE     |
| 16mm           | 56016569 |

| SCANIA         |          |
|----------------|----------|
| MOUNTING PLATE | CODE     |
| 16mm           | 56016566 |
| 40mm           | 56012414 |
| 22mm           | 56012415 |

| VOLVO / RENAULT |          |
|-----------------|----------|
| MOUNTING PLATE  | CODE     |
| 16mm            | 56016565 |

| BLANK – DIN 6 HOLES ONLY |          |
|--------------------------|----------|
| MOUNTING PLATE           | CODE     |
| 16mm<br>1050mm x 710mm   | 56016570 |
| 22mm<br>960mm x 655mm    | 56016205 |
| 40mm<br>960mm x 655mm    | 56016206 |
| 22mm<br>1050mm x 655mm   | 56016207 |
| 40mm<br>1050mm x 655mm   | 56016208 |

## SPARE PARTS

### FIFTH WHEELS

150SP<sup>2</sup> / 3000 / 3000LM / 170CI



#### FIFTH WHEEL SPARE PARTS

| SPARE PART DESCRIPTION                                              | PRODUCT CODE |
|---------------------------------------------------------------------|--------------|
| Repair Kit 150SP / 150SP2 / 3000 / 3000LM / 163CI / 170CI           | 59013196     |
| Repair Kit 150SP / 150SP2                                           | 59013687     |
| Release Handle Interlock                                            | 59013441     |
| Release Handle Kit Extended                                         | 59014458     |
| Adjuster Stud 150SP / 150SP2                                        | 59013390     |
| Wear Pad Kit 3000LM                                                 | 59014846     |
| Arch Liner Kit 3000 / 3000LM                                        | 59015059     |
| Spring Kit 150SP / 150SP2 / 3000 / 3000LM / 163CI / 170CI           | 59015067     |
| Wear Ring Kit 3000 / 3000LM / 163CI / 170CI                         | 59015237     |
| Adjuster Stud 3000 / 3000LM / 163CI / 170CI                         | 59015256     |
| Release Handle 150SP / 150SP2 / 3000 / 3000LM / 163CI / 170CI       | 59015102     |
| Lever Assembly 150SP / 150SP2 / 3000 / 3000LM / 163CI / 170CI       | 59015257     |
| Repair Kit 3000 / 3000LM / 163CI / 170CI                            | 59013581     |
| Single Point Lubrication Kit 150SP2 / 3000 / 3000LM / 163CI / 170CI | 59016109     |
| Single Point Lubrication Cartridge 125ml                            | 59016110     |

## SPARE PARTS

### 3S SENSOR SAFETY SYSTEM

3000  
3000LM




#### 3000 – EXTENDED HANDLE OPTION ONLY

| HEIGHT MM (DIN 6)          | CODE     |
|----------------------------|----------|
| Controller                 | 59016261 |
| Safety Clip Sensor         | 59016262 |
| Handle Sensor              | 59016263 |
| Kingpin Sensor             | 59016264 |
| Extended Handle            | 59014434 |
| Extended Handle Bracket 3S | 59016272 |
| Safety Clip and Chain      | 59004114 |
| Bracket M18 Kingpin Sensor | 59015427 |

260HD



| 260HD SPARE PARTS                                    |              |
|------------------------------------------------------|--------------|
| SPARE PART DESCRIPTION                               | PRODUCT CODE |
| Jaw Conversion Kit 3.5" to 2" – 21 / 22 / 33         | 59016552     |
| Jaw Repair Kit 260HD 3.5" – 1 / 3 / 8 / 11 / 12 / 33 | 59016555     |
| Jaw Repair Kit 170HD 2" – 1 / 8 / 11 / 12 / 22 / 33  | 59016556     |
| Lockbar Repair Kit – 4 / 9 / 19 / 29 / 34            | 59016557     |
| Spring Kit – 11 / 12                                 | 59016558     |
| Pins & Bushes Kit – 5 / 14 / 17 / 23                 | 59016559     |
| Release Handle Kit – 9 / 13 / 19 / 29 / 34           | 59016560     |
| Lever Repair Kit – 6 / 7 / 24 / 25 / 28 / 32         | 59016561     |
| Trigger Arm Repair Kit – 2 / 26 / 27                 | 59016562     |
| Wear Ring Kit 3.5" – 3 / 33                          | 59016563     |
| Wear Ring Kit 170HD 2" – 22 / 33                     | 59016564     |



## SPARE PARTS

### MOUNTING BRACKET KITS

150SP<sup>2</sup>  
3000  
3000LM  
170CI



#### MOUNTING BRACKET KIT SPARE PARTS

| SPARE PART DESCRIPTION                        | PRODUCT CODE |
|-----------------------------------------------|--------------|
| Mounting Bracket Pair 138mm (includes bushes) | 59015060     |
| Mounting Bracket Pair 148mm (includes bushes) | 59015061     |
| Mounting Bracket Pair 161mm (includes bushes) | 59015062     |
| Mounting Bracket Pair 185mm (includes bushes) | 59015063     |
| Mounting Bracket Pair 210mm (includes bushes) | 59015064     |
| Mounting Bracket Pair 230mm (includes bushes) | 59015065     |
| Mounting Bracket Pair 257mm (includes bushes) | 59015066     |

### ALL SLIDING FIFTH WHEELS



#### ALL SLIDING FIFTH WHEEL SPARE PARTS

| SPARE PART DESCRIPTION                                 | PRODUCT CODE |
|--------------------------------------------------------|--------------|
| Air Cylinder Assembly 65SF/135SF/150SF                 | 59007459     |
| Repair Kit (Plungers & Springs) 135SF/150SF            | 59013686     |
| Release Handle Kit 135SF/150SF (handle, lever & bolts) | 59015052     |
| Handle Bracket Kit (up to 210mm FW height) 135SF/150SF | 59015055     |
| Handle Bracket Kit (> 210mm FW height) 135SF/150SF     | 59015056     |
| Coil Kit 150SF (Air operated slider – no cylinder)     | 59013946     |
| Switch Kit Air Operated (Push button with Flip Cover)  | 59015762     |
| Release Handle Kit 150SF (High grip & no lever)        | 59016027     |
| Release Handle Kit Daimler 150SF                       | 59016032     |
| Restrictor Bolt Kit 135SF/150SF                        | 60015048     |
| Spacer Bar Bolt Kit 135SF/150SF                        | 60015050     |

## SPARE PARTS

### BOLT KITS

#### BOLT KIT SPARE PARTS

| SPARE PART DESCRIPTION                                                   | PRODUCT CODE |
|--------------------------------------------------------------------------|--------------|
| Bolt Kit 6 x M16 x 50mm (Ramp)                                           | 60006592     |
| Bolt Kit 6 x M14 x 50mm (Ramp)                                           | 60007270     |
| Bolt Kit 16 x M14 x 50mm (Volvo/Renault Slider)                          | 60011991     |
| Bolt Kit 12 x M18 x 50mm (Scania Slider)                                 | 60012013     |
| Bolt Kit 12 x M16 x 50mm (FW)                                            | 60013439     |
| Bolt Kit 12 x M16 x 50mm Countersunk (FW To 12mm Mounting Plate)         | 60013950     |
| Bolt Kit 4 x M14 x 50mm (Ramp)                                           | 60014196     |
| Bolt Kit 12 x M20 x 50mm (Daimler Slider)                                | 60014211     |
| Bolt Kit 150SF (FW To Slider Universal Fitting)                          | 60015054     |
| Bolt Kit 8 x M20 x 50mm & 4 x M18 x 50mm (Scania Mounting Plate)         | 60015784     |
| Bolt Kit 8 x M20 x 50mm (Daimler Mounting Plate)                         | 60015829     |
| Bolt Kit 10 x M16 x 40mm (Daimler Ramp)                                  | 60016008     |
| Bolt Kit 2 x M14 x 70mm & 2 x M14 x 50mm (to suit Renault ramp 65015642) | 60016041     |
| Bolt Kit 3000FFH DH – M16 – DAF/Iveco/MAN                                | 60016135     |
| Bolt Kit 3000FFH DH – M14 – Volvo/Renault                                | 60016201     |
| Bolt Kit 3000FFH DH – M18 – Scania                                       | 60016202     |
| Bolt Kit 3000FFH DH – M20 – Daimler                                      | 60016203     |

## RAMPS & LANDING LEGS

### RAMPS



#### RAMPS

| RAMP DESCRIPTION                                                              | PRODUCT CODE |
|-------------------------------------------------------------------------------|--------------|
| <b>Scania</b> Euro 6 4x2 & 6x2 (Subject To Mounting Confirmation By Customer) | 65014357     |
| <b>Scania</b> Euro 6 4x2 & 6x2 (Subject To Mounting Confirmation By Customer) | 65014397     |
| <b>Scania</b> Euro 6 4x2 & 6x2 To Suit Rear Battery Box                       | 65015426     |
| <b>DAF</b> Euro 5 FTG 75/85 CF 4x2                                            | 65014894     |
| <b>DAF</b> Euro 5 FTG 75/85 XF 6x2                                            | 65015172     |
| <b>MAN</b> TGS/X Euro 6 4x2 & 6x2                                             | 65015635     |
| <b>Renault</b> Euro 6 6x2 (T Range)                                           | 65015642     |
| <b>Daimler</b> Euro 5 4x2 3900 Wheel Base with Rear Battery Box               | 65015615     |
| <b>Daimler</b> Actros Euro 6 4x2 (Short Rear Overhang)                        | 65015677     |
| <b>Daimler</b> Actros Euro 6 4x2 (Long Rear Overhang)                         | 65015684     |
| <b>Daimler</b> Actros Euro 6 6x2                                              | 65016007     |
| <b>Iveco</b> Euro 6 6X2                                                       | 65015974     |
| <b>Iveco</b> Euro 6 4X2                                                       | 65016055     |
| <b>Iveco</b> Euro 6 6X2 (Gas Conversion spec)                                 | 65016119     |
| <b>Scania</b> Euro 6 4x2 & 6x2 To Suit Rear Battery Box (Asda)                | 65016143     |

## RAMPS & LANDING LEGS

### LANDING LEGS

#### LOAD RATING

28T LIFTING CAPACITY  
80T STATIC CAPACITY



#### EXTERNAL GEARBOX – FULLY DRILLED BACKPLATE

| LANDING LEGS DESCRIPTION                            | PRODUCT CODE |
|-----------------------------------------------------|--------------|
| Pair Landing Legs (80T) 880mm [R] Heavy Duty Wheels | 20008839     |
| Pair Landing Legs (80T) 873mm [R] Standard Wheels   | 20008883     |
| Pair Landing Legs (80T) 880mm [S] Compensator Feet  | 20008884     |
| Pair Landing Legs (80T) 800mm [S] Compensator Feet  | 20008885     |

#### EXTERNAL GEARBOX – STANDARD BACKPLATE

| LANDING LEGS DESCRIPTION                       | PRODUCT CODE |
|------------------------------------------------|--------------|
| Pair Landing Legs (80T) 880mm [A] Rocking Foot | 20008844     |

#### INTERNAL GEARBOX – FULLY DRILLED BACKPLATE

| LANDING LEGS DESCRIPTION                           | PRODUCT CODE |
|----------------------------------------------------|--------------|
| Pair Landing Legs (80T) 791mm [S] Compensator Feet | 20008921     |
| Pair Landing Legs (80T) 891mm [S] Compensator Feet | 20008922     |
| Pair Landing Legs (80T) 883mm [A] Rocking Foot     | 20008923     |
| Pair Landing Legs (80T) 866mm [R] Wheel            | 20008924     |

**JUST LIKE MANY  
OF OUR LONG-TERM  
PARTNERSHIPS –  
WE'VE BEEN AROUND  
A WHILE.**

And as an integral part of the Marmon Group, we're celebrating over 70 years of continued global success.



# SALES & SUPPORT

## European HQ

Fontaine Fifth Wheel  
Enterprise Way  
Lowton WA3 2AG  
United Kingdom

## General enquiries

+44 (0)1942 686 000  
info@fontainefifthwheel.com  
sales@fontainefifthwheel.com

## UK aftermarket spares

+44 (0)1942 686 001

## UK fleet sales

+44 (0)7880 791 252

## European sales and spares

+49 (0)211 179660-282

## Get the app

<https://play.google.com/store/apps>  
<https://apps.apple.com/>



facebook.com/fontainefifthwheeleurope

Design — tellingstories.co.uk | 08/23

# FIT FOR... FINDING SPARES ONLINE



Visit...  
[fontainefifthwheel.com](https://fontainefifthwheel.com)

# DOWNLOAD OUR APP



Search...  
**Fontaine Fifth Wheel**  
on Google Play or Apple App Store



***FIT FOR THE LONG HAUL***

Specialists in truck and trailer coupling  
**[fontainefifthwheel.com](http://fontainefifthwheel.com)**